

Jim Doyle Governor

Helene Nelson Secretary

Department of Health and Family Services

1 WEST WILSON STREET P O BOX 2659 MADISON WI 53701-2659

> 608-266-1251 FAX: 608-267-2832 dhfs.wisconsin.gov

2006 Mumps outbreak: MMR vaccine use and recommendations*

Age Groups	Proof of immunity?	Vaccinate?	Number of doses recommended.
General Population: • Born before 1957	None required	Yes (upon individual request)**	No recommendation at this time
Born in or after 1957	1 MMR	Yes if no history of having 1 MMR or mumps disease	1 dose total
High Risk Adults: (any age) • Health Care Worker • Day Care Worker • School Staff • College Staff	Serological test of immunity or 2 doses of MMR	Yes if no evidence of immunity by serology or from vaccine (2 doses)	2 doses of MMR spaced at least 28 days apart
Children: 1 to 4 years of age	1 dose of MMR	Yes if they do not have one MMR	1 dose total
Students: • K-12 grade • College ***	2 doses of MMR	Yes if no evidence of immunity by serology or from vaccine (2 doses)	2 doses of MMR spaced at least 28 days apart

^{*} Recommendation of the Advisory Committee on Immunization Practices and consultation with the National Immunization Program (CDC) and the Iowa State Immunization Program.

^{**} Vaccinate if exposure has been documented or is eminent and the individual has no previous history of mumps disease.

^{***} College Student Health Services seeking vaccine for students should work through the local public health department jurisdiction in which the college is located. Prior to receipt of vaccine, students must be screened for previous MMR vaccine by parental or health care provider inquiry or the Wisconsin Immunization Registry (WIR) or RECIN. If no data is available the vaccine should be administered.